



























- Kowalkowski, T., Zbytniewski, R., Szpejna, J. & Buszewski, B. (2006). Application of chemometrics in river water classification. *Water Research*, 40, 744-752.
- Santos-Roman, D.M., Warner, G.S., Scatena, F., (2003). Multivariate analysis of water quality and physical characteristics of selected watersheds in Puerto Rico. *Journal of the American Water Resources Association* 39 (4), 829–839.
- Schmitz, L., Motani, R., (2010). Morphological differences between the eyeballs of nocturnal and diurnal amniotes revisited from optical perspectives of visual environments. *Vision Research* 50 (10), 936–946.
- Shaharuddin, S., Zakaria, N.A., Ab. Ghani, A. & Chang, C.K. (2013). Performance Evaluation of Constructed Wetland in Malaysia for Water Security Enhancement. *Proceedings of 2013 IAHR World Congress, China*.
- Shrestha, S. & Kazama, F. (2007). Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan. *Environmental Modelling & Software*, 22, 464-475.
- Simeonov, V., Einax, J., Stanimirova, I. & Kraft, J. (2002). Environmetric modeling and interpretation of river water monitoring data. *Analytical and bioanalytical chemistry*, 374, 898-905.
- Singh, K. P., Malik, A., Mohan, D. & Sinha, S. (2004). Multivariate statistical techniques for the evaluation of spatial and temporal variations in water quality of Gomti River (India)—a case study. *Water Research*, 38, 3980-3992.
- Teh, S.Y., Othman, A., Khoo, M.B.C., (2010). Dichotomous logistic regression with leave-one-out validation. *World Academy of Science, Engineering and Technology* 62, 994–1003.
- Templ, M., Filzmoser, P. & Reimann, C. 2008. Cluster analysis applied to regional geochemical data: Problems and possibilities. *Applied Geochemistry*, 23, 2198-2213.
- US Environmental Protection Agency. (2000). *Constructed Wetlands Treatment of Municipal Wastewaters*. September 2000. EPA/625/R-99/010.
- Vassoe, T.D. (1999). *Constructed Wetlands Systems*. *Proceedings 10th Northwest On-Site Wastewater Treatment Short Course and Equipment Exhibition, University of Washington, Seattle*, pp. 305-325.
- Vymazal, J., (2001). Types of constructed wetlands for wastewater treatment: their potential for nutrient removal. In: Vymazal, J. (Ed.), *Transformations of Nutrients in Natural and Constructed Wetlands*. Backhuys Publishers, Leiden, The Netherlands, pp. 1–93.
- Vymazal, J. (2007). Removal of nutrients in various types of constructed wetlands. *Science of The Total Environment*, 380(1–3), 48-65.
- Wunderlin, D.A., Diaz, M.D.P., Ame, M.V., Pesce, S.F., Hued, A.C., Bistoni, M.D.L.A., (2001). Pattern recognition techniques for the evaluation of spatial and temporal variations in water quality. A case study, Suquia River Basin (Cordoba Argentina). *Water Research* 35 (12), 2881–2894.
- Zakaria, N. A., Ab Ghani, A., Abdullah, R., Mohd. Sidek, L. & Ainan, A. (2003). Bio-ecological drainage system (BIOECODS) for water quantity and quality control. *International Journal of River Basin Management*, 1, 237-251.
- Zhang, T., Xu, D., He, F., Zhang, Y. & Wu, Z. (2012). Application of constructed wetland for water pollution control in China during 1990-2010. *Ecological Engineering*, 47, 189-197.
- Zhou, F., Liu, Y., Guo, H., (2007). Application of multivariate statistical methods to water quality assessment of the watercourses in Northwestern New Territories, Hong Kong. *Environmental Monitoring and Assessment* 132 (1–3), 113.
- Zumft, W.G., (1997). Cell biology and molecular basis of denitrification. *Microbiol. Mol. Biol. Rev.* 61, 533–616.